

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	537	348/294.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:51
L2	106	348/303.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:51
L3	640	348/308.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:51
L4	119	348/304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:51
L5	109	348/316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52
L6	102	348/307.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52
L8	38	348/306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52
L9	62	348/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52
L10	348	348/302.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52
L11	72	348/295.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:52

L14	201	tamura and radiation and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:54
L16	555	camera and ((gate) adj driv\$4) and thin with film with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:54
L17	6	348/303.ccls. and thin with film with transistor	USPAT	OR	ON	2005/04/29 13:55
L18	530	camera and ((gate or vertical or horizontal or column or row) near5 driv\$4) and read\$4 same gate same horizontal same vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:55
S1	2075	tamura and radiation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 16:03
S3	49	tamura and radiation and camera and x-ray	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/30 16:16
S4	71	(KAMESHIMA and TOSHIO).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/25 16:31
S7	456	348/294.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/26 10:47
S13	1590	camera and ((gate or vertical or horizontal or column or row) near5 driv\$4) with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/26 11:33
S16	23	"5144447"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/26 12:35
S21	1	"4573076".PN.	USPAT	OR	OFF	2004/08/26 12:36
S22	1	"4868646".PN.	USPAT	OR	OFF	2004/08/26 12:38
S23	1	"4835617".PN.	USPAT	OR	OFF	2004/08/26 12:38

S24	1	"4573076".PN.	USPAT	OR	OFF	2004/08/26 13:02
S25	20	"5144447"	USPAT	OR	OFF	2004/08/31 14:41
S26	20	"5144447"	USPAT	OR	ON	2004/08/26 13:02
S29	1	"6232939".PN.	USPAT	OR	OFF	2004/08/26 14:58
S30	1	"5956009".PN.	USPAT	OR	OFF	2004/08/26 14:58
S31	1	"5923962".PN.	USPAT	OR	OFF	2004/08/26 14:58
S32	1	"5808595".PN.	USPAT	OR	OFF	2004/08/26 14:58
S33	1	"5682175".PN.	USPAT	OR	OFF	2004/08/26 14:58
S34	1	"5594569".PN.	USPAT	OR	OFF	2004/08/26 14:58
S35	116	348/304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/30 17:22
S36	9	348/304.ccls. and (molybdenum or tantalum or titanium or chromium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/30 17:23
S38	9	"748219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 13:51
S39	1	"748219" and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 10:51
S40	1	"748219" and ((wavelength adj convert\$4) or scintillator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 10:52
S41	5	348/304.ccls. and ((wavelength adj convert\$4) or scintillator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 10:56
S42	3	348/304.ccls. and ((wavelength adj convert\$4) or scintillator) and film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 10:56
S43	11	"5144447" and period and resist\$5	USPAT	OR	OFF	2004/08/31 14:55
S44	11	"5144447" and period and resist\$5	USPAT	OR	ON	2004/08/31 15:03
S45	10	348/304.ccls. and thin with film with transistor	USPAT	OR	ON	2004/08/31 15:11

S46	6	348/303.ccls. and thin with film with transistor	USPAT	OR	ON	2005/04/29 13:55
S47	410	camera and ((gate) adj driv\$4) and thin with film with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:54
S48	255	camera and ((gate) adj driv\$4) and thin with film with transistor and (sens\$4 or detect\$4 or photo\$1detect\$4 or photo\$1sens\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:29
S49	2	"20020176009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:29
S50	3	"09075382"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:46
S51	102	348/303.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/31 15:46
S52	480	camera and ((gate or vertical or horizontal or column or row) near5 driv\$4) and read\$4 same gate same horizontal same vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:55
S53	80	camera and ((gate or vertical or horizontal or column or row) near5 driv\$4) and ((read\$4 adj out) or readout) with circuit same gate same horizontal same vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 10:13
S54	924	camera and source with (read\$1out or (read\$4)) with circuit and driv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 11:07
S55	4	"4621291"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 13:02
S56	208	"348"/\$.ccls. and ((thin adj film adj transistor) or tft) same (driv\$4 or read\$4) same (gate or source or drain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:11

S59	3	"6407393"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:59
S60	2	"6407393" and advantage\$2 and tft and thin with film with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:01
S61	448	tft with advantage and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:09
S62	16	tft with advantage and camera not display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:03
S63	198	tft with advantage and camera and sens\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:11
S64	104	tft with advantage and camera and (detedt\$4 or sens\$4 or photo\$1detect\$4 or photo\$1sens\$4) same (thin adj film adj transistor or tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:19
S65	6	"4797560" and scintillator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/01 15:39
S66	4	"4797560" and scintillator and ((thin wih film with transistor) or tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/01 15:54
S67	1	"4797560" and scintillator and ((thin with film with transistor) or tft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/01 15:54
S68	0	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 11:09

S69	0	("4797560".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 18:11
S70	53	348/294-308.ccls. and (selenium or iodide or gallium or arsenide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 18:11
S71	11	"5920070"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/02 09:37
S72	1	"5920070" and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/02 09:38
S73	0	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide or titanium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 11:09
S74	0	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide or titanium or chromium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:46
S75	0	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide or titanium or chromium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 11:11
S76	4	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (amplifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 11:24
S77	92	camera and x\$1ray and grid and read\$4 and (tft or thin adj film adj transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 11:31
S78	22	camera and x\$1ray and grid and read\$4 and (tft or thin adj film adj transistor) and (mux or multiplex\$4) same (analog or digital) and (a\$3d or a/d or ad or (analog adj3 digital adj convert\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 12:50

S79	22	(camera and x\$1ray and grid and read\$4 and (tft or thin adj film adj transistor) and (mux or multiplex\$4) same (analog or digital) and (a\$3d or a/d or ad or (analog adj3 digital adj convert\$4))) and process\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:26
S81	0	JPA5304171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:34
S82	44	"5304171"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:34
S84	0	("5920070".pn. or "4621291".pn. or "4835617".pn. or "5144447".pn.) and (selenium or iodide or gallium or arsenide or titanium or chromium or material) with gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:47
S85	141	camera and gate with line with (gold or aluminium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:55
S86	39	camera and gate with line with resistivity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:38
S87	431	camera and gate with line with material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:58
S92	355	camera and anisotropic with conductive with (resin or bond\$4 or glue\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:39
S99	2	"5886353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/02 16:49